Mauro Lanza *Le songe de Medée* 2004

Creation 2004



The setup and the execution of the electroacoustic part of this work requires a Computer Music Designer (Max expert).

Table of Contents

Table of Contents	2
Work related information	3
Performance details	3
Detailed staff	3
Realisation	3
Events	3
Useful links on Brahms	3
Version related information	4
Documentalist	4
Realisation	4
Comment	4
Other version(s)	4
Electronic equipment list	5
Computer Music Equipment	5
Audio Equipment	
Files	6
Instructions	7
Sound diffusion	7
Patch presentation - Main Patch	8

Work related information

Performance details

• Nov. 5, 2004, France, Paris, Palais Garnier

Publisher: Ricordi

Detailed staff

• flute, clarinet, trombone, 2 percussionists, piano, violin, cello, double bass

Realisation

• Serge Lemouton

Events

- Le songe de Médée (reprise) Fri 26 Oct 2007 Palais Garnier None
- Le songe de Médée Mon 15 Nov 2004 Palais Garnier None

Useful links on Brahms

- Le songe de Medée music for Angelin Preljocaj's ballet for ensemble and electronics (2004), 40mn
- Mauro Lanza

Version related information

Performance date: Nov. 5, 2004 Documentation date: Nov. 5, 2004

Version state: valid, validation date: May 3, 2018, update: May 6, 2021, 3:10 p.m.

Documentalist

Serge Lemouton (Serge.Lemouton@ircam.fr)

You noticed a mistake in this documentation or you were really happy to use it? Send us feedback!

Realisation

• Serge Lemouton (Computer Music Designer)

Version length: 47 mn Default work length: 40 mn

Comment

The patch actually works only on PPC processor macintosh. A new version for MacIntel should be done (contact serge Lemouton).

Other version(s)

- Mauro Lanza Le songe de Medée LucaMorino2018 (Feb. 27, 2019)
- Mauro Lanza Le songe de Medée transfert_mustica_ftp (April 14, 2010)

Electronic equipment list

Computer Music Equipment

- 1 Macintosh Powerbook *Apple Laptops* (Apple) Titanium model (PPC processor)
- 1 Max/MSP *Max* (Cycling74) version 4.6.3
- 1 Sound Board *Sound Board* Ex. RME Hammerfall
- 1 Hammerfall Multiface Sound Board (RME)
- 1 MIDI Keyboard *MIDI Keyboard* Ex. SY77 [Controller parameter:pitch, velocity, program changes]
- 2 Pad *Pad* Ex. ddrums. Velocity is not used
- 1 Unitor 8 MIDI Interfaces (Emagic)

Audio Equipment

• 1 01 V - Digital Mixers (Yamaha)

Files

File	Туре	Author(s)	Comment
fossemedee07.pdf	Patch		
fossemedee07.png	Patch		
HP setup	Setup	Jeremie Henrot	
max patch and sound files	Patch	serge Lemouton	
Mixer patch	Document	Jeremie Henrot	
thumb_fossemedee07.png	Patch		

Instructions


Sound diffusion

Sound diffusion is stereophonic and frontal, the electronic sounds should be mixed and well balanced with the ensemble in the pit.

There is a clic track for the conductor, in order to synchronize the first electronic sequences.

IRCAM ⊯ Certer Georges Pompidou		
plan n°:1	production	
08/09/2004	Synoptique	
Etude.Jérémie Henrot Tel : 01 44 78 14 21 Fax :01 44 78 15 40 henrot⊕ircam.fr		

Fosse Opéra Garnier La Soustraction M.LANZA




Patch presentation - Main Patch

1.Add the folder lib to max search path

2.Open le_songe_de_medee.pat with Max/MSP Then press in order:

- init
- next/locate: seq1
- start



Main patch

The sound-files are triggered by the midi-pad.

Sampler sound banks are played by the midi-keyboard, there are five banks, loaded by program changes sent by the midi keyboard.

To start the show, you have to start manually the first sequence by pressing the space bar.

© IRCAM (cc) BY-NC-ND

This documentation is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License. Version documentation creation date: None, update date: May 6, 2021, 3:10 p.m.